



BIBLIOGRAFÍA.

1. Alcaino EA. Conscious sedation in paediatric dentistry: current philosophies and techniques. *Ann R Australas Coll Dent Surg* 2000; 15: 206-10.
2. American Academy on Pediatric Dentistry Council on Clinical Affairs. Guideline on appropriate use of nitrous oxide for pediatric dental patients. *Pediatr Dent* 2008-2009; 30(7 Suppl):140-2.
3. American Academy of Pediatric Dentistry. Clinical Guideline on Elective Use of Conscious Sedation, Deep Sedation and General Anesthesia in Pediatric Dental Patients. Reference Manual 2003 – 2004. p 75 – 81.
4. American Academy of Pediatrics Committee on Drugs: Guidelines for monitoring and management of pediatric patients during and after sedation for diagnostic and therapeutic procedures. *Pediatrics* 1992; 89: 1110-5.
5. Bedi R. Conscious Sedation In The Provision of Dental Care. Standing Dental Advisory Committee. Report of an Expert Group on Sedation for Dentistry. Commissioned by the Department of Health. U.K. Government. London. 2003.
6. Berthold C. Enteral sedation: safety, efficacy, and controversy. *Compend Contin Educ Dent* 2007; 28(5):264-71.
7. Blain K, Hill F. The use of inhalation sedation and local anaesthesia as an alternative to general anaesthesia for dental extractions in children. *Br Dent J* 1998; 184:608-611.
8. Cote C, Karl H, Notterman D, Weinberg J, McCloskey C. Adverse sedation events in pediatrics: analysis of medications used for sedation. *Pediatrics* 2000; 106 (14): 633-44.
9. Cote C. Sedation protocols – why so many variations?. *Pediatrics* 1994; 94:281-3.
10. Davies F, Waters M. Oral midazolam for conscious sedation of children during minor procedures. *J Accid Emerg Med* 1998; 15: 244-8.
11. Erlandsson AL, Bäckman B, Stenström A, Stecksén-Blicks C. Conscious sedation by oral administration of midazolam in paediatric dental treatment. *Swed Dent J* 2001; 25:97-104.
12. Fleming P, Walker P, Primosch R. Bleomycin therapy: a contraindication to the use of nitrous oxide-oxygen psychosedation in the dental office. *Pediatr Dent* 1988; 10:345-346.



13. Fuks A, Kaufman E, Ram D, Hovav S, Shapira J. Assessment of two doses of intranasal midazolam for sedation of young pediatric dental patients. *Pediatr Dent* 1994; 16: 301-5.
14. General guidelines for office procedures where procedural sedation is required. Council of the College of Physicians and Surgeons and the Canadian Anesthesiologists' Society. 2007.
15. Girdler N, Sterling P. Investigation of nitrous oxide pollution arising from inhalation sedation for the extraction of teeth in child dental patients. *Int J Paediatr Dent* 1998; 8:93-102.
16. Guidelines for monitoring and management of pediatric patients during and after sedation for diagnostic and therapeutic procedures. *Pediatrics* 1992; 89:1110-1115.
17. Hallonsten AL, Jensen B, Raadal M, Veerkamp J, Hosey M, Poulsen S. EAPD Guidelines on Sedation in Paediatric Dentistry. 2003.
18. Hallonsten AL, Veerkamp J, Rølling I. Pain, pain control and sedation in children and adolescents. In: Koch G, Poulsen S, editors. *Pediatric Dentistry. A clinical approach*. Copenhagen: Munksgaard, 2001: 226-8.
19. Hallonsten AL. Nitrous oxide-oxygen sedation in dentistry. *Swed Dent J* 1982;Suppl. 14.
20. Hosey MT. Managing anxious children: the use of conscious sedation in paediatric dentistry. UK National Clinical Guidelines in Paediatric Dentistry. *Int J Paed Dent* 2002; 12(5):359-372.
21. Jackson DL, Johnson BS. Conscious sedation for dentistry: risk management and patient selection. *Dent Clin North Am* 2002; 46(4): 767 – 80.
22. Jackson DL, Johnson BS. Inhalational and enteral conscious sedation for the adult dental patient. *Dent Clin North Am* 2002; 46(4):781-802.
23. Jameson K, Averley P, Shackley P, Steele J. A comparison of the 'cost per child treated' at a primary care-based sedation referral service, compared to a general anaesthetic in hospital. *Br Dent J* 2007; 203, E13.
24. Jastak J, Praravecchio R. An analysis of 1,331 sedations using inhalation, intravenous or other techniques. *J Am Dent Assoc* 1975; 91:1242-1249.
25. Jensen B. Benzodiazepine sedation in paediatric dentistry. *Swed Dent J* 2002;153 (Supp):1-45.



26. Jensen B, Matsson L. Oral versus rectal midazolam as a pre-anaesthetic sedative in children receiving dental treatment under general anaesthesia. *Acta Paediatrica* (Oslo, Norway) 2002;91(8):920-5.
27. Jensen B, Stjernqvist K. Temperament and acceptance of dental treatment under sedation in preschool children. *Acta Odont Scan* 2002;60(4):231-6.
28. Kanagasundaram S, Lane L, Cavalletto B, Keneally J, Cooper M. Efficacy and safety of nitrous oxide in alleviating pain and anxiety during painful procedures. *Arch Dis Child* 2001; 84: 492-5.
29. Kawauchi Y, Oshima T, Suzuki S, Saitoh Y, Toyooka H. Advancement of the mandible facilitates nasal breathing in human subjects sedated with midazolam. *Can J Anaesth* 2000; 47(3): 215-9.
30. Klingberg G. Pharmacological approach to the management of dental anxiety in children - comments from a Scandinavian point of view. *Int J Paed Dent* 2002; 12(5):357-358.
31. Lindh-Strömberg U. Rectal administration of midazolam for conscious sedation of uncooperative children in need of dental treatment. *Swed Dent J* 2001; 25:105-111.
32. Loeffler P. Oral benzodiazepines and conscious sedation: a review. *J Oral Maxillofac Surg* 1992; 50: 989-97.
33. Lu DP. The use of hypnosis for smooth sedation induction and reduction of postoperative violent emergencies from anesthesia in pediatric dental patients. *ASDC J Dent Child* 1994; 61:182-5.
34. McCann W, Wilson S, Larsen P, Stehle B. The effects of nitrous oxide on behaviour and physiological parameters during conscious sedation with a moderate dose of chloral hydrate and hydroxyzine. *Pediatr Dent* 1996; 18: 35-41.
35. Matharu L, Ashley PF. Sedación de niños ansiosos sometidos a tratamiento dental (Revisión Cochrane traducida). *Biblioteca Cochrane Plus* 2007; 2: 1 – 75.
36. Morton NS. Development of a selection and monitoring protocol for safe sedation of children. *Pediatr Anesth* 1998; 8(1): 65 – 8.
37. Nathan J. Oral conscious sedation for the pediatric dental patient. *Update Pediatr Dent* 1991; 4: 1-8.
38. Nordt SP, Clark R. Midazolam: a review of therapeutic uses and toxicity. *J Emerg Med* 1997; 15:357-365.



39. Paterson SA, Tahmassebi JF. Paediatric dentistry in the new millennium: 3. Use of inhalation sedation in paediatric dentistry. Dent Update 2003 Sep; 30(7):350-8
40. Peretz B, Katz J, Zilburg I, Shemer J. Response to nitrous-oxide and oxygen among dental phobic patients. Int Dent J 1998; 48:17-23.
41. Practice Guidelines for Sedation and Analgesia by Non–Anesthesiologists. An updated report by the American Society of Anesthesiology. Task Force on Sedation and Analgesia by Non–Anesthesiologists. Anesthesiology 2002; 96: 1004 – 17.
42. Reeves S, Wiedenfeld K, Wroblewski J, Hardin C, Pinoski M. A randomized double-blind trial of chloral hydrate/hydroxyzine versus midazolam/acetaminophen in the sedation of pediatric dental outpatients. ASDC J Dent Child 1997; 64: 48-54.
43. Rosenberg M. Oral midazolam syrup for sedation in pediatric dentistry. J Mass Dent Soc 2000; 49(2):32-5.
44. Stach D. Nitrous oxide sedation: understanding the benefits and risks. Am J Dent 1995; 8: 47-50.
45. Silegy T, Jacks ST. Pediatric oral conscious sedation. J Calif Dent Assoc 2003; 31(5) :413-8.
46. Training in Conscious Sedation for Dentistry. The Dental Sedation Teachers Group. England. 2005.
47. UN. Convention of the Rights of the Child. <http://www.unicef.org/crc/crc.htm> . 2005.
48. Uldum B, Hallonsten AL, Poulsen S. Midazolam conscious sedation in a large Danish municipal dental service for children and adolescents. Int J Paed Dent 2008;18(4):256-261.
49. Veerkamp J, Gruythuysen R, van Amerongen W, Hoogstraten J. Dental treatment of fearful children using nitrous oxide. Part 2. The parents' point of view. ASDC J Dent Child 1992; 59:115-119.
50. Veerkamp J, Gruythuysen R, van Amerongen W, Hoogstraten J. Dental treatment of fearful children using nitrous oxide. Part 3. Anxiety during sequential visits. ASDC J Dent Child 1993; 60:175-182.
51. Veerkamp J, Gruythuysen R, van Amerongen W, Hoogstraten J. Dental treatment of fearful children using nitrous oxide. Part 4. Anxiety after two years. ASDC J Dent Child 1993; 60: 372-6.



52. Veerkamp J, Gruythuysen R, Hoogstraten J, van Amerongen W. Anxiety reduction using nitrous oxide: a permanent solution? *ASDC J Dent Child* 1995; 62:44-48.
53. Veerkamp J, Porcelijn T, Gruythuysen R. Intravenous sedation for outpatient treatment of child dental patients: an exploratory study. *ASDC J Dent Child* 1997; 64:48-54.
54. Wilson P, Boyle C, Smith B. Conscious sedation training received by specialist registrars in restorative dentistry in the UK: a survey. *Br Dent J* 2006;201:373-7.
55. Wilson S, Farrell K, Griffen A, Coury D. Conscious sedation experiences in graduate paediatric dentistry programs. *Pediatr Dent* 2001; 23(4): 307 – 14.
56. Wilson S, Creedon R, George M, Troutman K. A history of sedation guidelines: where we are headed in the future. *Pediatr Dent* 1996; 18: 194-9.
57. Wilton NCT, Leigh J, Rosen DR, Pandit UA. Preanesthetic Sedation of Preschool Children Using Intranasal Midazolam. *Anesthesiol* 1988; 69:972-975.
58. Witham JG, McCly RF. Principles and practice of sedation. 2nd ed. Oxford: Blackwell Science; 1998.
59. Yanese H, Braham L, Fukuta O, Kurosu K. A study of the sedative effect of home-administered oral diazepam for the dental treatment of children. *Int J Paediatr Dent* 1996; 6:13-17.
60. Yasny JS, Asgari A. Considerations for the use of enteral sedation in pediatric dentistry. *J Clin Paediatr Dent* 2008; 32(2):85-93.